

CONTROL ... CONSERVATION THROUGH CONTROL ... CONSERVATION**Timer-77 Timed ON OFF Water Control - technical info sheet**

Used in situations where occupancy follows regular routines such as schools, offices, medical surgeries etc. The timed water on/off control can be set to turn the water ON at the start of the working day and OFF when the building is no longer used. This water timer can be programmed for daily, weekly, weekday/weekend operation and also has a manual override function.

Features:

- Simple to programme using digital LCD display
- Automatic Summer/Winter changeover
- Shortest switching time 1 minute
- Pre-wired easy to install, ideal for wall mounting
- ON/OFF switch, manual override and status LEDs
- Complete with 1/2" Normally Closed brass valve

**What does it do?**

The Timer-77 has been specially designed to turn ON the water supply at the start of the working day and OFF again when the building is no longer used.

The control is simple to install and is supplied ready wired with electricity supply cable and also with a cable and DIN connector for the solenoid shut off valve.

The programmes are simple to enter and change if required using the LCD digital display. An ON/OFF switch and manual override function gives the user complete control.

Technical Specification:

Programming options: Up to 4 ON and OFF programmes per day, including 7 days the same (24 hours), 5+2 days (where the weekdays are the same, and the two weekend days are the same), and 7 individual days.

Solenoid valve: Brass Normally Closed (fail safe), 1/2" BSP female threads, 13.5mm orifice, pressure range 0.35 - 10 Bar, WRAS approved.

Contact type: Normally Open, maximum load 13A resistive, 5A inductive.

Power supply: 240v AC 50 Hz

Cables: Power and valve cables are supplied to a nominal 2m length. Core size 0.75mm.

Enclosure: size 88 x 88 x 60mm, (excluding glands) in white PVC suitable for wall mounting.

Product code: Timer-77-1/2"

CONTROL ... CONSERVATION THROUGH CONTROL ... CONSERVATION